



Poster numbers

Title	n°
Treatment with Raltegravir, a retroviral integrase inhibitor, in patients infected with HTLV1	1
Cellular senescence induction by retinoid on adult Tcell leukemia cells	2
Elderly ATL patients in ageing society of Japan	3
Can alloSCT with RIC cure ATLL? : Longterm survivors with excellent PS and with heterogenous HTLV1 proviral load level	4
Presence of cutaneous lesion is a poor prognostic factor in patients with smolderingtype adult Tcell leukemia/lymphoma	5
High HTLV1 proviral load in patients with HAM/TSP and ATLL but not with other disorders	6
Histopathologic differences between human Tlymphotropic virus type 1 (HTLV1)positive and HTLV1negative polymyositis	7
Immunohistochemical and virological features of HTLV1associated myosites: a study of 13 patients from West Indies and Africa	8
Persistent high HTLV1 proviral load in a patient with complete remission of Adult Tcell leukemia/lymphoma (ATL)	9
Influence of HTLV1 in the clinic, microbiologic and immunologic features of tuberculosis	10
The clinical utility of HTLV1 viral load measurement	11
Does helminthic infection alter the clinical course of HTLV1 infection?	12
Clinical significance of CADM1/TSLC1/IgSF4 expression in AdultT cell leukemia/lymphoma (ATLL): identification of various types of ATLL cells	13
Human Tlymphotropic virus type 1(HTLV1) integration, HTLV1associated infective dermatitis (IDH) and the risk of Adult T cell leukaemia/lymphoma (ATLL)	14
Assessment of cutaneous involvements by F18 fluorodeoxyglucose positron emission tomography imaging in patients with adult Tcell leukemia/ lymphoma	15
First line treatment of acute and chronic ATLL with zidovudine (AZT) and interferon alpha (IFN α): haematological and molecular responses	16
The impact of HTLV1 infection on clinical and immunological outcomes in patients coinfectd with HIV and hepatitis C virus	17
HTLV1 associated myelopathy of rapid onset and progression following livingdonor kidney transplant: Clinical description and initial response to empirical treatment	18
HTLV1 infection and associated diseases in Peruvian twins probably exposed to HTLV1 mothertochild transmission	19
Changes in proviral load (PVL) among patients with rapidly progressive HTLV1associated myelopathy/tropical spastic paraparesis (HAM/TSP) receiving empirical therapy	20
Arsenic trioxyde in the treatment of HTLV1 associated ATLL	21
A FAS 670A/G single nucleotide polymorphism may be associated with HTLV1 infection and clinical evolution to TSP/HAM	22
A novel tetramethylnaphthalene derivative synergistically inhibits HTLV1infected cell proliferation in combination with cepharanthine	23
Proviral loads of human T-lymphotropic virus type 1 in asymptomatic carriers with different infection routes	24
ATLL and HTLV-1 infection in indigenous individuals from Alice Springs, Central Australia	25

Quality of life of patients with HTLV-1-associated myelopathy: A pilot study using SF 36	26
Altered CD4+/CD8+ Tcell ratio in splenocytes of human Tcell leukemia virus type I Tax transgenic mice with inflammatory arthropathy	27
Viral expression directs the fate of B cells in BLVinfected sheep	28
Tetinducible lymphoma in a new Tax transgenic mouse model	29
Bovine Immunodeficiency Virus as a potentiating cofactor for the experimental Bovine Leukemia Virus infection in sheep	30
Bovine MHC class II DR molecule plays a key role in bovine leukemia virus (BLV)induced lymphoma	31
HTLV1 bZIP factor induces systemic inflammations in vivo	32
HTLV1infected HIS Rag2/γc/ mice, a suitable model for in vivo investigating the effects of drugs in ATL treatment?	33
A lifeattenuated BLV deletant as a candidate vaccine to inhibit viral transmission in bovine herds	34
Inverse correlation between Tax and CD25 expressions in HTLV1 infected CD4 Tcells in vivo	35
Kinome profiling of BLVinduced ovine leukemia: an approach for identifying altered signaling pathways associated with oncogenesis	36
Development of a real time PCR assay using SYBR Green chemistry for bovine leukemia virus detection	37
Regulation of host cellular gene transcription by Bovine Leukemia Virus (BLV) Tax, wild type and mutants	38
Development of a Model of HTLV1 Oral Transmission in the Rabbit	39
BLVCoCoMoqPCR: comparison of other detection methods for BLV infection and kinetics analysis in experimental transmission of BLV in cattle	40
DNA microarray gene expression profile of bovine macrophages cell line (BoMac) after infection with Bovine Immunodeficiency Virus or Bovine Foamy Virus	41
Bovine leukemia virus proviral load in naturallyinfected animals	42
Depletion of dendritic cells enhances susceptibility to cellfree but not cellassociated HTLV1 infection in CD11cDTR transgenic mice	43
Evidence for the existence of pathogenicity determinants in the Long Terminal Repeats (LTRs) of the Bovine Leukemia Virus (BLV) genome	44
DNA cytosine methylation in the Bovine Leukemia Virus promoter is associated with latency in a Lymphomaderived Bcell line : potential involvement of direct inhibition of CREB/CREM/ATF binding	45
The utilization of humanized mouse models for the study of inhibitors in HTLV1 infection	46
In vitro characterisation of Bovine Leukemia Virus capsid protein selfassembly	47
Analysis of a complete genomic sequence of BLV strain obtained from a lymphosarcoma.	48
Transformation of human embryonic stem cells by HTLV1 Tax	49
Pattern mRNA expression similarities between ATL patients and patients coinfectd with HTLV1Strongyolides stercoralis	50
Overexpression of SIRT1 and induction of apoptosis by its inhibition in adult Tcell leukemia cells	51
Stromal cells help ATL cells to escape from apoptosis induced by histone deacetylase inhibitors	52



Robust neutralising activity and activation of neutrophil cytotoxic responses mediated by antibodies targeting the HTLV1 envelope glycoprotein	53
The MHCII transactivator CIITA, a viral restriction factor inhibiting the replication of Human TCell Lymphotropic Virus Type 1	54
MHC class II transactivator CIITA inhibits Tax2mediated HTLV2 LTR transactivation and viral replication by binding to, and affecting Tax2 intracellular localization	55
Heterocellular interaction between cancer cells and stem cells in cancer metastasis	56
Imaging and microarray analyses of cell cycle arrest and apoptosis by Human T cell Leukemia Virus type 1 (HTLV1) Tax	57
Reversephase phosphoproteome analysis (RPMA) of signaling pathways induced by HTLV1 infection	58
Direct detection of diverse metabolic changes in virally transformed and Taxexpressing cells by mass spectrometry	59
Varying modulation of HTLV1 LTR activity by BAF complexes	60
Features of HTLV1 transcriptional and chromatin remodeling dynamics emerge from ChIPchip analysis	61
HTLV1 clonality during chronic infection and BLV clonality during primary infection	62
The tumour marker Fascin is strongly induced by Tax of HTLV1 through NFκB signals in T lymphocytes	63
Dynamics of dendritic cells and T cells in HTLV1associated neuroinflammatory disease: implications in immunomodulatory therapies and diagnostic tools	64
Murine Flt3Lderived dendritic cell mediated early immune responses are critical to controlling cellfree HTLV1 infection	65
Taxinduced rapid senescence is mediated by both classical and alternative NFκB pathways	66
HTLV1 Tax inhibits innate antiviral signaling via NFκBdependent induction of SOCS1	67
Analysis of temporal expression of HTLV2 reveals similarities and functional differences from HTLV1	68
The reverse genetics of HTLV1 infected patients	69
17betaestradiol (E2) abrogated osteolysis induced by HTLV1 Env protein in vivo	70
Gene expression and glycan profiling of CD4+T cells in HAM/TSP	71
Exclusion of actin microfilaments from the cellcell contact zone in HTLV1 infected Tlymphocyte during the establishment of a functional virological synapse	72
Xylosyltransferase 2, a protein encoded on chromosome 17q, is involved in HTLV entry	73
Potential interference of HTLV1 HBZ protein with the DNA damage response pathway	74
Expression of hbz mRNA promotes survival in HTLV1infected cells with high DNA damage	75
A novel function of HTLV-1 Rex in inhibition of the host mRNA surveillance mechanism (NMD) for protection of the viral genomic mRNA	76
NFκB activation promotes immune activation in HTLV1associated myelopathy / tropical spastic paraparesis	77
CD64 as a biomarker and therapeutic target in HAM/TSP and HTLV1associated Infective Dermatitis	78
Immunological characteristics of Spanish IDUs infected with HTLV2 and HIV1.	79
Recombinant human Tcell leukemia virus types 1 and 2 Tax proteins induce high levels of CCchemokines and downregulate CCR5 in human peripheral blood mononuclear cells	80

Functional impairment of Tax-specific but not CMV-specific CTLs in a minor population of asymptomatic HTLV1 carriers	81
HTLV1 bZIP factor perturbs immune response to the pathogens in vivo by inhibiting IFNγ production	82
Modulation of dendritic cell functions by HTLV1 with DCs able to direct the presentation of Tax through infected T cells, live virus, and the Tax protein	83
The plasticity of HTLV1 infected CD4⁺CD25⁺CCR4⁺ T cells through HTLV1 tax in HAM/TSP	84
Susceptibility of HBZ and Tax expressing primary HTLV1⁺ T cell clones to CTL lysis	85
B cell costimulatory molecules as potential biomarkers in HAM/TSP	86
HLA association with HTLV1/2 infection in different populations of Argentina	87
Possibility of $\gamma\delta$ T cell immunotherapy for HTLV1-infected individuals	88
Quantitative differences in antibody responses between normal donors HAM/TSP patients, asymptomatic carriers, and ATL patients from Jamaica: can they be used to estimate risk of disease?	89
HLA-A*24-restricted HTLV1-specific CTL response reduces the HTLV1 proviral load but the HLA increases the risk of HAM/TSP	90
HTLV1 affects the adipogenic differentiation of human mesenchymal stem cells	91
Immunological and viral features in patients with overactive bladder indicate an early stage of myelopathy	92
Association of interleukin 18 gene polymorphism with susceptibility or protective effect to HTLV1 infection.	93
Influence of IFNγ gene polymorphism in HTLV1 proviral load	94
Neural bystander damage by infiltrating virus-infected T cells and the cytotoxic T lymphocytes in HTLV1-associated neurological disease	95
Human leukocyte antigen (HLA) class I frequencies in human T-cell lymphotropic virus type 1 (HTLV1)-infected patients from Salvador, Brazil	96
HLA-G 14 bp insertion/deletion polymorphism is not associated to proviral load levels and presence of HAM/TSP in Peruvian HTLV1 infected individuals	97
A low level of immune activation induced by HTLV-2 infection counteracts HIV-1 replication.	98
Role of glycosylation in bovine leukemia virus infection	99
Transcriptome analysis of HTLV1-infected cells in comparison to the normal and Tax-expressing T cells	100
Role of dimerization and palmitoylation on the function of HTLV1 p12 and p8	101
Protein function for antisenescence and monoclonal proliferation of ATL cells	102
Role of the cofactor CTIP2 (COUPTF Interacting Protein 2) in the transcriptional repression of HTLV1 (Human T-lymphotropic Virus 1)	103
Tax alters telomerase activity through both quantitative and qualitative hTERT transcriptional dysregulations	104
Predominant role of Tax sumoylation in Tax-induced NFκB activation in T cells	105
Identification and characterization of auxiliary proteins encoded by the HTLV3 retrovirus pX region	106
Exclusion from the Golgi and very low levels of HTLV2 Tax ubiquitination do not prevent IKKγ/NEMO relocalization and NFκB activation	107



The HTLV1 hzb antisense gene indirectly promotes tax expression via downregulation of p30II mRNA	108
IKKepsilon involvement in Taxmediated activation of INF pathway	109
Cytoplasmic and nuclear events controlling Taxmediated activation of the NFκB pathway: involvement of TAB2, IKKgamma/NEMO and calreticulin	110
The HTLV1 Tax protein inhibits nonsensemediated mRNA decay by interacting with INT6/EIF3E and UPF1	111
HTLV3 and HTLV4 antisense proteins activate JunB, cJun and JunDdependent transcription	112
Comparison of Tax1 and Tax2B posttranslational modifications using specific lysine mutants in relation to activation of NFκB and intracellular localization	113
Integration sites of the HTLV1 provirus in host human genome in the IDH patients with monoclonal integration	114
Expression and purification of the HTLV1 transforming protein Tax	115
Tax ubiquitylation and SUMOylation control the dynamic shuttling of Tax and NEMO between Ubc9 nuclear bodies and the centrosome	116
Host genetic factors associated to proviral load in Peruvian HTLV-1 infected	117
Microsatellite instability in the smoldering form of adult Tcell leukemia/lymphoma (ATL) in Brazil	118
TP53 and p16INK4A mutations in adultT cell leukemia/lymphoma (ATL) in Bahia (Brazil)	119
HTLV1 evades Type 1 interferon antiviral signaling by inducing the suppressor of cytokine signaling 1 (SOCS1)	120
HTLV1 Tax directly modulates expression of the CDK6 and RNASET2 genes	121
Control of ROS production and Tcell turnover by HTLVp13	122
HTLV1 HBZ activates mTOR signaling pathway via inhibition of GADD34	123
The Human Tcell leukemia virus type I (HTLVI) oncoprotein Tax promotes persistent NFκB activation by blocking the phosphorylation of the adaptor molecule TAX1BP	124
Localization and subcellular shuttling of HTLV1 Tax with the RNAi machinery component Drosha	125
Regulation of AP1 activity by the HTLV2 APH2 protein	126
A specificity map for HTLV1 Tax/PDZ interactions	127
Over-expression of dominant-negative Helios isoforms in adult T-cell leukemia (ATL) cells	128
Exacerbated signs of an immunosuppressive AIDSlike disease in macaques infected with multiple retroviruses	129
Restricted infection of Xenotropic Murine Leukemia VirusRelated Virus in human lymphoid Tissue	130
A role for activatory KIR/HLA Complexes In HIVAssociated Kaposi's Sarcoma development	131
Expression of HERVH/W Env epitopes on PBMCs from MS patients with active disease	132
Genotypic variability and risk factors of hepatitis B virus in Western Siberia	133
Unique lentivirus infecting feral simians from forests of Rajasthan, India	134
Absence of xenotropic murine leukaemia virusrelated virus in Danish patients with multiple sclerosis	135
Innate and adaptive antiviral immune responses in MS patients treated with interferonbeta	136

Novel Simian Foamy Virus infection of wild Indian rhesus macaque (<i>Macaca mulatta</i>)	137
Lack of evidence of ERVWE1/Xq22.3 involvement in MRSV transcripts detected in Multiple Sclerosis patients	138
Heme oxygenase1 activation inhibits XMRV pathogenesis and carcinogenesis in prostate cancer cells	139
A prototype RTPCR assay for detection of XMRV in multiple human sample types	140
Immune correlates of XMRV infection	141
The effects of XMRV gene expression on the mouse prostate	142
XMRV: usage of receptors and potential coreceptors	143
Cell line tropism and replication of XMRV	144
Structure of the xenotropic murine leukaemia virusrelated virus matrix protein	145
Murine leukemia viruses (MuLV) and Xenotropic MuLVrelated viruses exhibit intertropic complex recombination patterns	146
In vitro assembly of Xenotropic Murine Leukemia VirusRelated Virus CANC protein	147
XMRV Infection in Human Diseases	148
Innate response to Foamy viruses	149
Viral characterisation of “zoonotic” Foamy viruses	150
Investigating retroviral superinfection in wild chimpanzees (<i>Pan troglodytes verus</i>)	151
Serological evidence of XMRV infection in Chronic Fatigue Syndrome patients and healthy blood donors from Belgium	152
Molecular analysis of human Tcell lymphotropic virus type 1 and 2 (HTLV1/2) seroindeterminate blood donors from Northeast of Iran; evidence of proviral tax, env, and gag sequences	153
HTLV2 infection still prevalent among older injecting drug users in Stockholm, Sweden – indications of limited spread to the younger generation	154
Phylogenetic and similarity analysis of HTLV1 isolates from HIVcoinfected patients from the South and Southeast regions of Brazil	155
Prevalence of HTLV1/2 and HIV1/2 in individuals attending Public Health Center in Mozambique. One HTLV1 symptomatic case report	156
Molecular epidemiology of endemic Human TLymphotropic virus 1 (HTLV1) in a community in rural GuineaBissau	157
Maternal proviral load and vertical transmission of Human T cell Lymphotropic Virus type 1 in GuineaBissau	158
Epidemiological determinants and PCR results in Central African inhabitants with a new and frequent HTLV indeterminate Western Blot pattern exhibiting mostly p28, p32, p36, and a shifted GD21	159
Human TLymphotropic Virus Type 1 (Htlv1): a new subgroup within the cosmopolitan subtype	160
Genetic diversity in HTLV1 envelope (gp46), HBZ And LTR region from assymptomatic And TSP/HAM individuals	161
Neurological manifestations in HTLV1 patients with overactive bladder syndrome. A precursor of HAM/TSP?	162
Development of HTLV1 Database for data management and datamining HTLV1 sequences	163
Association between Human TCell Lymphotropic Virus Type 1 and 2 (HTLV 1/2) infection and tuberculosis: systematic review and metaanalysis	164



HLA allele distributions and associations in a cohort of LTNPs from China	165
Evidence of a higher prevalence of HPV infection in HTLV1infected women compared to uninfected women	166
Prevalence and changing distribution of HTLV1 and HTLV2 infections in Spain	167
Seroprevalence of HTLV infection in Spain among immigrant pregnant women	168
Ethnic/geographic analysis Of Human TLymphotropic Virus type 1 (HTLV1) infection among Buenos Aires residents in Argentina	169
PTLV1 transmission from preys to hunters in Côte d'Ivoire	170
Molecular epidemiology of HTLV1 infection in the caribbean area as compared to West Africa : relationship with the slave trade	171
HTLV1 proviral load levels in adult Tcell leukemia/lymphoma (ATL) in Bahia, Brazil	172
Evidence of STL2 and STL3 infections in wildliving bonobos (P. paniscus) from the Democratic Republic of Congo	173
Evidence of STL2 and STL3 infections in wild living bonobos (P. paniscus) from the Democratic Republic of Congo	174
Successful development of novel monoclonal antibodies against HTLV1 bZIP factor and their applications in studying the pathogenesis of HAM/TSP	175
HTLVI proviral load in Argentinean subjects with indeterminate western blot patterns	176
WHO antibody reference panel for donor screening assays that detect antibodies to human Tlymphotropic virus type 1 (HTLV1) and type 2 (HTLV2)	177
Bibliometric description of the literature on HTLV1 registered in PubMed over the past ten years	178
HTLV1 proviral load of HAM/TSP patients according to new diagnostic criteria of HAM/TSP	179
Using a sensitive luciferase immunoprecipitation system (LIPS) to detect HTLVI/II seroindeterminates in Jamaica	180
Development of a molecular platform for HTLV confirmatory diagnosis: importance of the internal amplification control	181
Expression of the HBZ and tax genes of HTLV1in infective dermatitis associated with HTLVI (IDH)	182
Proviral load does not discriminate patients with Human TCell Leukemia/Lymphoma (ATLL) from HTLV1 carriers with a history of Strongyloidiasis	183
ARCHITECT rHTLVI/II immunoassay for blood screening and diagnosis	184